



### Threat Ready, Never a Burden™



Wynn Atterbury

President

WMD Proprietary and Confidential

(703) 969-0938 wynn@wmdguns.com

# **Unique Features**

### **Integrated Retractable Sling**

- One button adjustment
- Retracts when not in use
- One size fits all in any PPE
- Easy transition from Single-point to 2-point sling

 See video at <u>(https://www.wmdguns.com/shop</u> <u>/slingstock.html</u>) for demonstration



# **SlingStock**<sup>™</sup>

# **Specifications**

#### Fit

• Mil Spec buffer tubes with standard adjustment mechanism

#### Sling

- 7 ft of 1-1/4" Mil-W-4088K Type III Class 1 Black Webbing
- Breaking Strength 800 pounds
- Picatinny clasp and/or QD swivel end connectors provide quick hook-up to std rifle furniture.
- EASY-GRIP clasp attaches to any point on a Picatinny rail

#### Adjustability

- Doesn't interfere with cheek positioning in retracted or extended position
- One-button push for adjustment, extension or retraction
- Ambidextrous center-line controls
- Comfortable, interchangeable recoil pad


#### **Maintenance and Durability**


- Easy to clean with standard cleaners
- Robust mechanical design operates in harsh environments and loads
- Easy to clean and maintain. Strap module replaceable by removing three screws.

#### Weight of Sling and Stock


• Just 19 ounces

### **Single or 2 Point Operation**





## SlingStock<sup>™</sup> Elite



## SlingStock<sup>™</sup> Elite

## Views



### **Profile View**

### Sling extended from SlingStock

# **Pricing & Orders**

- Call for Pricing
- LE Blue program Available
- Inquire about pre-orders

## **Market Status**

- 3 Utility Patents Awarded
- Design and prototype testing complete
- Production tooling and packaging development in process
- Product available for Agencies in Q1 of 2019

Contact Wynn Atterbury, 703 969 0938, for Information